

INDEX MAPS.

T. 25N, R. 9W. 2nd Mer.

	243	243	243	243	242	242						
244	6	260	5	256	4	253	3	251	2	249	1	241 242
	259	259	256	253	250	248						
244	7	259	8	255	9	253	10	250	11	248	12	241
	259	258	255	252	250	248						
244	18	258	17	255	16	252	15	250	14	248	13	240 241
	258	258	255	252	250	248-246						
244	19	257	20	254	21	252	22	249	23		24	240
	257	257	254	252	249-246	245						
244	30	257	29	254	28	251	27	249	26	245	25	240
	256	256	254	251-247	246	245						
244	31	256	32	253	33	247	34	246	35	245	36	240
	240	239	247	239	239	239	239	239	239	239	239	

T. 26N, R. 9W. 2nd Mer.

	265		265		265		265		265		265		265
267	6	281	5	277	4	275	3	272	2	269	1	265	
	281		281		277		274		272		266		
267	7	281	8	277	9	274	10	272	11	269	12	264	
	280		280		277		274		271		269		
266	18	280	17	276	16	274	15	271	14	268	13	264	
	280		279		276		273		271		268		
266	19	279	20	276	21	273	22	271	23	268	24	264	
	279		279		276		273		270		268		
266	30	278	29	275	28	273	27	270	26	268	25	264	
	278		278		275		272		270		267		
266	31	278	32	275	33	272	34	270	35	267	36	264	
	263		263		263		263		263		263		

The figures on the lines refer to the page.

239

Township N. 25 North, Range N. 9 West 2. Mer. Ind.

Township Lines.

Ch. 1st. South Boundary. Var. 6° 20' E.
West on the S. Boundary of Sec. 36

40.00 set gr. sec. post in mound

60.00 enter Parrish's grove

80.00 set post cor. of sec. 35 & 36 from which
ab. Walnut 12 in. dia. bears N 67 1/2° W 249 lks. dist.
La Cherry 5 " " " N 20° E 369 " "
Land level 1st rate

West on the S. Boundary of Sec. 35

5.62 at Hickory 7 in. dia.

6.00 Chicago Road NW

23.00 an Elm 15 in. dia.

35.00 enter Prairie in field

40.00 set gr. sec. post in mound

80.00 set post in mound cor. of sec. 34 & 35
Land 1st rate

West on the S. Boundary of Sec. 34

40.00 set gr. sec. post in mound

80.00 set post in mound cor. of sec. 33 & 34
Land 1st rate

West on the S. Boundary of Sec. 33

40.00 set gr. sec. post in mound

80.00 set post in mound cor. of sec. 32 & 33
Land 1st rate

West on the S. Boundary of Sec. 32

3.45 set post in mound on Indian Boundary line

May 17. 1831 David Hillis, D. S.

Regan 1/2 Ch. West from corner of sec. 32 & 33
at mound in old Boundary line. Var. 6° 05' E

40.00 set gr. sec. post and raised mound

80.00 set post cor. of sec. 31 & 32 and raise mound

T. 25 N., R. 9 W. 2. Mer. Ind. Co.
Chs. Lk.

Sand rolling & 1st rate dry Prairie

West on the S. Boundary of Sec. 31

40.00 set gr. sec. post and raise mound

69.53 Intersect W. Boundary 34 W. N. of temp. post -
set post at intersection cor. of T. 24 & 25 N., R.
9 & 10 W. and raise mound.

Sand same as last described.

March 27. 1834 Sylvester Sibley
Dep. Surveyor.

East Boundary, Var. C. 20. E.

North on the E. Boundary of Sec. 36

40.00 set gr. sec. post in mound

80.00 set post in mound cor. of sec. 25 & 36

Sand 1st rate dry Prairie

North on the E. Boundary of Sec. 25

40.00 set gr. sec. post in mound

80.00 set post in mound cor. of sec. 24 & 25

Sand 1st rate dry Prairie

North on the E. Boundary of Sec. 24

40.00 set gr. sec. post in mound

80.00 set post in mound cor. of sec. 13 & 24

Sand 1st rate dry Prairie

North on the E. Boundary of Sec. 13

40.00 set gr. sec. post in mound

51.00 set post on Indian Boundary in mound.

Sand 1st rate dry Prairie

May 16. 1831 David Willis, D. S.

Began 11.70 Ch. from gr. sec. post, at mound
on old Indian Boundary line, Var. C. 15 E.

80.00 set post cor. of sec. 12 & 13 and raise mound.

Sand rolling & 1st rate dry Prairie.

Completed

T. 25 N., R. 9 W. 2. Mer. Ind.

Chr. Lk.

North on the E. Boundary of Sec. 12

10.00 a Brook 8 Mts. wide course NW

40.00 set gr. sec. post and raise mound

80.00 set post cor. of sec. 1 & 12 and raise mound.

South half mile rolling - North half mile
rather uneven - soil 1st rate - dry Prairie

North on the E. Boundary of Sec. 1

40.00 set gr. sec. post and raise mound

80.00 set lump. Township corner post

Land rolling 1st rate dry Prairie

March 29, 1834 Sylvester Sibley, D.S.

Resurvey of this East Boundary from
the corner of sec. 13 & 24

North on the E. Boundary of Sec. 13

From post and mound cor. of sec. 13 & 24

35.00 passed old mound for gr. post

40.00 set gr. sec. post & made mound of sod, pit
North 6 Mts.46.00 passed old mound on the Old Indian
Boundary

75.00 passed old corner for sec. 12 & 13

80.00 set post cor. of sec. 12 & 13, made mound of
sod, pit South 6 Mts.Land rolling 2^d rate

North on the E. Boundary of Sec. 12

5.06 a Brook 10 Mts. wide course NW

35.00 passed old gr. sec. post and mound

40.00 set gr. sec. post and made mound of sod, pit
South 5 Mts.

75.00 passed old mound cor. of sec. 1 & 12

80.00 set post cor. of sec. 1 & 12, made mound of sod,
pit North 6 Mts. Land rolling 2^d rate

T. 25 N., R. 9 W. 2. Mer. Ind.^{ce}

Ch^s & L^s

North on the E. Boundary of Sec. 1

35.00 passed old gr. sec. post & mound

40.00 set gr. sec. post & made mound of sod, pit
North 5 Chs.

74.33 Intersect post and mound cor. of T. 25 & 26 N.,
R. 8 & 9 W.

P. S. When I came to close the lines
upon the late surveys and measurement,
I found there had been a mistake made
in the measurement on the East Boundary
line of said Township, just 5 Chains.

The error had been committed in measur-
ing North to the "Indian Boundary line",
by setting the $\frac{1}{2}$ mile post 5.00 Chains too
soon, which caused the Posts North of
the Boundary to be set wrong.

Consequently, the distance is lessened just
that much. And upon discovering a
mistake of that kind I proceeded to cor-
rect it by cancelling the old corners and
making new ones.

Which I respectfully beg leave to report
August 26, 1834

Perrin Kent

Dep. Surveyor

North Boundary.

West on the S. Boundary of Sec. 36, T. 26 N., R. 9 W.

40.00 set gr. sec. post and raise a mound

79.00 enter Flag pond.

80.00 set post cor. of sec. 35 & 36 and raised mound
Land rolling & 1. st rate dry Prairie, wet in places.

West on the S. Boundary of Sec. 35, T. 26 N., R. 9 W.

0.50 leave Flag pond hole

40.00 set gr. sec. post and raise mound

80.00 set post cor. of sec. 34 & 35 and raise mound.

T. 25 N., R. 9 W. 2. Mer. Ind.
Ch. & Lk.

Land same as last described.

West on the S. Boundary of Sec. 34, T26 N., R9 W
40.00 set g. sec. post and raise mound
80.00 set post cor. of sec. 33 & 34 and raise mound
Land same. March 27, 1834

West on the S. Boundary of Sec. 33, T26 N., R9 W
40.00 set g. sec. post and raise mound
46.50 a Run 4 lks. wide course NW
80.00 set post cor. of sec. 32 & 33 and raise mound.
Land same

West on the S. Boundary of Sec. 32, T26 N., R9 W
31.50 a Brook 6 lks. wide course SW
40.00 set g. sec. post and raise mound
80.00 set post cor. of sec. 31 & 32 and raise mound
Land same

West on the S. Boundary of Sec. 31, T26 N., R9 W
12.00 Road NW
40.00 set g. sec. post from which
a Cherry 8 in. dia. bears West 653 lks. dist. &
a Hickory 12 " " " N74°W 750 " "
46.50 leave Prairie & enter Sugar Creek grove, so called.
47.75 a Hickory 26 in. dia.
60.79 Intersect W. Boundary 850 lks. S. of temp. post -
set post at intersection cor. of T. 25 & 26 N., R. 9 & 10
W. from which
an Elm 9 in. dia. bears N55°W 25 lks. dist. &
a B. Walnut 9 " " " S40°W 8 " "
Land level & T. rate, part of Prairie rather wet
Timber in grove Oak, Ash, Elm, B. Walnut,
Hickory &c.

West Boundary. Var. 6° 30' E.

T. 25 N., R. 9 W. 2. Mer. Ind.ⁿ

Chs. 1st.

North on the E. Boundary of Sec. 36, T25 N, R10 W

40.00 set q. sec. post and raise mound

80.00 set post cor. of sec. 25 & 36 and raise mound

Land gently rolling & 1st rate dry Prairie

North on the E. Boundary of Sec. 25, T25 N, R10 W

38.00 Road corner NW

40.00 set q. sec. post and raise mound

80.00 set post cor. of sec. 24 & 25 and raise mound

Land same

North on the E. Boundary of Sec. 24, T25 N, R10 W

40.00 set q. sec. post and raise mound

80.00 set post cor. of sec. 13 & 24 and raise mound

Land & same

North on the E. Boundary of Sec. 13, T25 N, R10 W

40.00 set q. sec. post and raise mound

80.00 set post cor. of sec. 12 & 13 and raise mound

Land same

North on the E. Boundary of Sec. 12, T25 N, R10 W

40.00 set q. sec. post and raise mound

80.00 set post cor. of sec. 1 & 12 and raise mound

Land & same

North on the E. Boundary of Sec. 1, T25 N, R10 W

40.00 set q. sec. post and raise mound

51.00 a Stream 15 lbs. wide corner NW called Mud Creek

60.00 enter Sugar Creek grove

80.00 set temp. Township corner post.

Land same, except some scattering timber of Oak, Ash, Walnut &c. March 28. 1834

Sylvester Sibley, Dep. Surveyor.

T. 25 N., R. 9 W. 2^d Mer. Ind.^a
Chr. Spr.

Subdivision. Var. 6th 20th E.

North between Secs. 35 & 36

14.60 a Bur Oak 24 in. dia.

28.27 a Buckeye 10 " "

38.40 Rock Spring branch 8th Mos. widecombe S.E. & dry

40.00 set of sec. port from which

a Sugar 16 in. dia. bears N 35 E 9th Mos. dist. 2

a Lynn 22 " " " S 87 W 37 " "

45.66 a Bur Oak 42 in. dia.

58.33 a Do 24 " "

60.46 an Elm 5 " "

60.63 leave Parrish's grove & enter Prairie

80.00 set port cor. of secs. 25, 26, 35 & 36 from which

an Elm 5 in. dia. bears South 19.53 Chr. dist. 8

a Hickory 11 " " " S 1 W 19.37 " "

This grove is 1st rate land & level, timber B.

Walnut, Sugar, Red Elm, Lynn, Hackberry,

Buckeye, Blue Ash, Bur Oak, Coffeenut, Cherry

& B. Ash. Upr. Buckeye, Elm, Ash & Pawpaw

East on Random between Secs. 25 & 36

40.00 set temp. of sec. port

79.96 Intersect E. Boundary 10th Mos. N. of port -

Land level 1st rate Prairie

West Connected between Secs. 25 & 36

39.98 set of sec. port at aver. dist. in mound.

79.96 to sec. cor.

North between Secs. 25 & 26

40.00 set of sec. port in mound

80.00 set port in mound cor. of secs. 23, 24, 25 & 26

Land 1st rate dry Prairie

East on Random between Secs. 24 & 25

40.00 set temp. of sec. port

T. 25 N., R. 9 W. 2. Mer. Ind.
Ch. & Co.

79.92 Intersect E. Boundary at port—
Land 1st rate dry Prairie

West Corrected between Sec. 24 & 25

39.96 set g. sec. port at aver. dist. in mound
79.92 to sec. cor.

North between Sec. 23 & 24

40.00 set g. sec. port in mound
59.51 Intersect Indian Boundary & set port in mound
Land as before

West between Sec. 13 & 24

40.00 set g. sec. port in mound
60.60 Intersect Indian Boundary & set port in mound
(Description of land omitted)

West between Sec. 23 & 26

40.00 set g. sec. port in mound
68.41 Intersect Indian Boundary & set port in mound
Land a little wet, 1st rate soil

North between Sec. 34 & 35

40.00 set g. sec. port in mound
66.40 a Road NW
80.00 set port in mound cor. of sec. 26, 27, 34 & 35
Land dry Prairie 1st rate

East on Random between Sec. 26 & 35

40.00 set temp. g. sec. port
80.03 Intersect N. T. line 34 Mer. N. of port—
Land dry Prairie 1st rate.

West Corrected between Sec. 26 & 35

40.01 1/2 set g. sec. port at aver. dist. in mound
80.03 to sec. cor.

T. 25 N., R. 9 W. 2. Mer. Ind.^a
Chas. L. W.

West between Secs. 27 & 34

40.00 set gr. sec. post in mound

70.07 set post on Indian Boundary in mound

Land dry Prairie, 1st rate

North between Secs. 26 & 27

40.00 set gr. sec. post in mound

67.40 Intersect Indian Boundary & set post in mound

Land dry Prairie, 1st rate

North between Secs. 33 & 34

40.00 set gr. sec. post in mound

75.29 Intersect Indian Boundary, set post in mound

Land 1st rate Prairie

North between Secs. 32 & 33

3.10 Intersect Indian Boundary, set post in mound

Land 1st rate Prairie. June 15, 1831

Pursuant to a contract and instructions
from M. T. Williams, Surveyor General of the
United States, bearing date 2. May 1831

I have surveyed and subdivided into sections
fractional Township 25 North of Range 9 West
in the State of Indiana, and I do hereby cer-
tify that the foregoing are the true and origin-
al field notes of the said survey and sub-
division made under the contract aforesaid.

Certified this 21st July 1831

David Willis, D. S.

North between Secs. 23 & 24

From the old Indian Boundary

20.59 set post cor. of secs. 13, 14, 23 & 24 made mound

of sod, put South 4 W. put charcoal in.

Land level 1st rate.

T. 25 N., R. 9 W. 2. Mer. Ind.^a

Chr. Lk.

East on Random between Sec. 13 & 24

19.46 Intersect Indian Boundary at post & mound
Land level 1.st rate

West between Sec. 13 & 24

19.46 to sec. cor.

North between Sec. 13 & 14

40.00 set of sec. post made mound of sod, pit East
4 hrs.80.00 set post cor. of sec. 11, 12, 13 & 14 made mound of
sod, pit South 4 hrs.Land rolling 1.st rate, wet in places.

East on Random between Sec. 12 & 13

22.56 a Brook 6 hrs. wide course N.

40.00 same 6 " " " S.

41.20 same 6 " " " NW

44.50 same 5 " " " SW

79.86 Intersect E. Boundary at post -
(Description of land omitted)

West Corrected between Sec. 12 & 13

39.93 set of sec. post at aver. dist. made mound of
sod, pit East 4 hrs.

79.86 to sec. cor.

North between Sec. 11 & 12

19.22 a Brook 8 hrs. wide course W.

40.00 set of sec. post and made mound of sod, pit
East 4 hrs.80.00 set post cor. of sec. 1, 2, 11 & 12 made mound of sod, pit East 4 hrs.
Land rolling 1. rate, wet in places

East on Random between Sec. 1 & 12

48.50 enter Marsh

53.50 leave "

T. 25 N., R. 9 W. 2. Mer. Ind.^a
 Ch. 1st

79.95 Intersect E. Boundary 20 Ws. N. of post—
 Land T.¹/₂ mile level T.¹/₂ rate, last ¹/₂ mile high
 rolling 2.¹/₂ rate

West Connected between Sec. 10 & 12

39.97¹/₂ set gr. sec. post at aver. dist. made mound of
 sod, pit East 4 Ws.

79.95 to sec. cor.

North between Sec. 10 & 12

40.00 set gr. sec. post made mound of sod, pit East
 4 Ws.

73.90 Intersect N. Boundary 16 Ws. E. of post—
 made mound in the South margin of a pond,
 pit South 10 Ws. cor. of sec. 10 & 12
 (Description of land omitted) Aug. 28. 1834

North between Sec. 20 & 27

From the old Indian Boundary.

12.00 set post cor. of sec. 22, 23, 20 & 27 made mound
 of sod, pit South 4 Ws. put charcoal in.
 Land rolling T.¹/₂ rate

East in Random between Sec. 23 & 26

6.36 Intersect old Indian Boundary at post—
 Land rolling T.¹/₂ rate

West between Sec. 23 & 26

From the old Indian Boundary line

6.36 to sec. cor.

North between Sec. 22 & 23

40.00 set gr. sec. post made mound of sod, pit East
 4 Ws.

80.00 set post cor. of sec. 14, 15, 22 & 23 made mound
 of sod, pit South 4 Ws.

T. 25 N., R. 9 W. 2. Mer. Ind.^u
 E. W. 30?

Land rolling dry T.^h rate Prairie

East on Raudon. between Sec. 14 & 23

75.13 Intersect N. & S. line 28 Ws. N. of port -
 Land rolling dry & T.^h rate

West Corrected between Sec. 14 & 23

37.56 1/2 set of sec. port at aver. drit. made mound
 of sod, pit East 4 Ws.
 75.13 to sec. cor.

North between Sec. 14 & 15

40.00 set of sec. port made mound of sod, pit
 East 4 Ws.

80.00 set port cor. of sec. 10, 11, 14 & 15 made mound
 of sod, pit South 4 Ws.
 (Description of land omitted)

East on Raudon between Sec. 14 & 14

75.25 Intersect N. & S. line 6 Ws. E. of port -
 Land gently rolling T.^h rate, wet in places

West Corrected between Sec. 14 & 14

37.62 1/2 set of sec. port at aver. drit. in a Brook 4
 Ws. wide course NW.

75.25 to sec. cor.

North between Sec. 10 & 11

33.80 a Brook 10 Ws. wide course W

40.00 set of sec. port made mound of sod, pit East
 4 Ws.

80.00 set port cor. of sec. 2, 3, 10 & 11 made mound
 of sod, pit South 4 Ws.
 Land level some wet 1.st rate

East on Raudon between Sec. 2 & 11

T. 25 N., R. 9 W. 2. Mer. Ind.
Ch. Sp.

75.30 Intersect N. & S. line 4 lks. N. of port -
Land rolling T. rate

West Connected between Sec. 2 & 11

37.65 Set g. sec. port at aver. dist. made mound
of sod pit East 4 lks.

75.30 to sec. cor.

North between Sec. 2 & 3

40.00 Set g. sec. port made mound of sod, pit
East 4 lks.

74.10 Intersect N. Boundary 510 lks. E. of port -
Set port at intersection cor. of sec. 2 & 3 and
made mound of sod, pit South 4 lks.
Land rolling dry T. rate Plains

North between Sec. 33 & 34

From the old Indian Boundary

4.71 Set port cor. of sec. 27, 28, 33 & 34 made mound
of sod, pit South 4 lks.

Land rolling dry T. rate

East on Rauden between Sec. 27 & 34

3.70 Intersect old Indian Boundary.

This distance was ascertained by measuring
East on said line to the section corner for sec.
26, 27, 34 & 35, no other mound to be found.

West between Sec. 27 & 34

3.70 to sec. cor.

North between Sec. 27 & 28

31.00 Trail West

40.00 Set g. sec. port made mound of sod, pit
East 4 lks.

80.00 Set port cor. of sec. 21, 22, 27 & 28 made mound

T. 25 N., R. 9 W. 2^d Mer. Ind.
 Ch. Spr.

of sod, pit South 5 Ws.

Land rolling dry 1st rate Prairie

East in Random between Sec. 22 & 27

7.50 Wagon Road corner NW by N.

79.98 Intersect N. & S. line 8 Ws. N. of post—

Land rolling dry 1st rate Prairie

West Corrected between Sec. 22 & 27

39.99 set q. sec. post at aver. dist. made mound of sod,
 pit East 4 Ws.

79.98 to sec. cor.

North between Sec. 21 & 22

11.00 Wagon Road from Wabash to Chicago corner NW

40.00 set q. sec. post made mound of sod, pit East 4 Ws.

80.00 set post cor. of sec. 15, 16, 21 & 22 made mound of sod,
 pit South 4 Ws.

Land rolling dry 1st rate Prairie

East in Random between Sec. 15 & 22

79.92 Intersect N. & S. line 12 Ws. N. of post—

Land gently rolling, wet in places

West Corrected between Sec. 15 & 22

39.96 set q. sec. post at aver. dist. made mound of
 sod, pit East 4 Ws.

79.92 to sec. cor.

North between Sec. 15 & 16

40.00 set q. sec. post made mound of sod, pit E. 4 Ws.

80.00 set post cor. of sec. 9, 10, 15 & 16 made mound of
 sod, pit South 4 Ws.

Land rolling, dry & 1st rate

East in Random between Sec. 10 & 15

T. 25 N., R. 9 W. 2^d Mer. Ind.^a
Chrs. Spr.

79.86 Intersect N. G. line 5 lks. N. of port—
Land rolling, 1st rate, wet in places.

West Corrected between Secs. 10 & 15

39.92 set q. sec. port at aver. clint. made mound of
sod, pit East 4 lks.

79.86 to sec. cor.

North between Secs. 9 & 10

40.00 set q. sec. port made mound of sod, pit E. 4 lks.

41.00 a Brook 12 lks. wide course W

80.00 set port cor. of sec. 3, 4, 9 & 10 made mound of sod
pit South 4 lks.

Land rolling, dry 1st rate

East on Random between Secs. 3 & 10

79.93 Intersect N. G. line 10 lks. N. of port—
Land rolling, dry 1st rate

West Corrected between Secs. 3 & 10

39.96 1/2 set q. sec. port at aver. clint. made mound of
sod, pit East 4 lks.

79.93 to sec. cor.

North between Secs. 3 & 4

40.00 set q. sec. port made mound of sod, pit E. 4 lks?

74.36 Intersect N. Boundary 535 lks. E. of port—

set port at intersection cor. of sec. 3 & 4 made
mound of sod, pit South 4 lks.

Land rolling, dry 1st rate Prairie

August 30. 1834

North between Secs. 32 & 33

From the old Indian Boundary.

36.90 set q. sec. port made mound of sod, pit E. 4 lks.

76.90 set port cor. of sec. 28, 29, 32 & 33 made mound

T. 25 N., R. 9 W. 2^d. Mer. Ind.
Ch. S. M.

of sod, pit South 4 lks., put charcoal in
Sand rolling T.^h rate, wet in places

East in Random between Sec. 28 & 33

41.20 Wagon Road from Parrish's grove to Fox River
course N. N. W.

79.50 Intersect N. & S. line 4 lks. S. of post -
Sand rolling dry T.^h rate Prairie

West Corrected between Sec. 28 & 33

39.75 set of sec. post at aver. dist. made mound of
sod, pit East 4 lks.

79.50 to sec. cor.

North between Sec. 28 & 29

12.00 Wagon Road N. N. W.

40.00 set of sec. post made mound of sod, pit East
4 lks.

66.50 Indian trail N. W.

80.00 set post cor. of sec. 20, 21, 28 & 29 made mound
of sod, pit South 4 lks.

Sand rolling dry T.^h rate Prairie

East in Random between Sec. 21 & 28

79.60 Intersect N. & S. line 24 lks. S. of post -
Sand same

West Corrected between Sec. 21 & 28

39.80 set of sec. post at aver. dist. made mound of
sod, pit East 4 lks.

79.60 to sec. cor.

North between Sec. 20 & 21

40.00 set of sec. post made mound of sod, pit ^{East} South
4 lks.

80.00 set post cor. of sec. 16, 17, 20 & 21 made mound

T. 25 N., R. 9 W. 2^o. Mer. Ind.^a
 Chas. S. M.

of sod, pit South 4 Ws.

Land gently rolling T.^h rate, wet in places

East on Random between Sec. 16 & 21

36.75 Road corner NW

79.16 Intersect N. & S. line 20 Ws. N. of post -

Land same as on last mile

West Corrected between Sec. 16 & 21

39.58 set of sec. post at aver. dnt. made mound of
 sod, pit East 4 Ws.

79.16 to sec. cor.

North between Sec. 16 & 17

40.00 set of sec. post made mound of sod, pit East
 4 Ws.

60.00 Road to Chicago NW

80.00 set post cor. of sec. 8, 9, 16 & 17 made mound of
 sod, pit East 4 Ws.

Land gently rolling T.^h rate Prairie

East on Random between Sec. 9 & 16

79.70 Intersect N. & S. line 6 Ws. N. of post -

Land same

West Corrected between Sec. 9 & 16

39.85 set of sec. post at aver. dnt. made mound of
 sod, pit East 4 Ws.

79.70 to sec. cor.

North between Sec. 8 & 9

40.00 set of sec. post made mound of sod, pit East
 4 Ws.

80.00 set post cor. of sec. 4, 5, 8 & 9 made mound of
 sod, pit South 4 Ws.

Land rolling dry Prairie, 1.st rate

T. 25 N., R. 9 W. 2^d. Mer. Ind.^aChs. 1st.

East on Random between Sec. 4 & 9

32.20 a Brook 15 Ws. wide course NW

79.75 Intersect N. S. line 4 Ws. S. of post -

Land rolling dry T.^h rate

West Corrected between Sec. 4 & 9

39.87½ set g. sec. post at aver. dist. made mound
of sod, pit East 4 Ws.

79.75 to sec. cor.

North between Sec. 4 & 5

25.25 a Brook 16 Ws. wide course NW

40.00 set g. sec. post made mound of sod, pit East
4 Ws.

74.10 Intersect N. Boundary 530 Ws. E. of post -

set post at intersection cor. of sec. 4 & 5 made
mound of sod, pit South 4 Ws.Land rolling T.^h rate. Sept. 1. 1834.

North between Sec. 31 & 32

40.00 set g. sec. post and made mound of sod,
pit East 4 Ws.80.00 set post cor. of sec. 29, 30, 31 & 32 made mound
of sod, pit East 4 Ws. put charcoal in.
Land rolling dry T.^h rate Prairie

East on Random between Sec. 29 & 32

80.00 Intersect N. S. line 4 Ws. N. of post -

Land rolling dry T.^h rate Prairie

West Corrected between Sec. 29 & 32

40.00 set g. sec. post at aver. dist. made mound
of sod, pit East 4 Ws.

80.00 to sec. cor.

West on Random between Sec. 30 & 31

T. 25 N., R. 9 W., T. 2 Mer. Ind.^a
 Chas. L. H.

69.70 Intersect W. Boundary 10 Ws. S. of port -
 Land rolling dry 1.st rate Prairie

East Corrected between Secs. 30 & 31

29.70 set q. sec. port made mound of sod, pit East
 4 Ws.

69.70 to sec. cor.

North between Secs. 29 & 30

20.30 Wagon Road from Parrish's grove to Fox R.

40.00 set q. sec. port made mound of sod, pit
 East 4 Ws.

80.00 set port cor. of secs. 19, 20, 29 & 30 made mound
 of sod, pit South 4 Ws.
 Land rolling dry 1.st rate Prairie

East on Random between Secs. 20 & 29

60.30 Indian trail NW

80.20 Intersect N. & S. line 20 Ws. N. of port -
 Land same

West Corrected between Secs. 20 & 29

40.10 set q. sec. port at aver. dist. made mound
 of sod, pit East 4 Ws.

80.20 to sec. cor.

West on Random between Secs. 19 & 30

69.30 Intersect W. Boundary 6 Ws. S. of port -
 Land rolling, dry 1.st rate Prairie

East Corrected between Secs. 19 & 30

29.30 set q. sec. port made mound of sod, pit East
 4 Ws.

69.30 to sec. cor. September 2, 1834

North between Secs. 19 & 20

T. 25 N., R. 9 W. S. Mer. Ind.^a
 Chas. Sk.

22.70 Indian trail NW

40.00 set q. sec. post made mound of sod, pit East
 4 Ws.

80.00 set post cor. of sec. 17, 18, 19 & 20 made mound
 of sod, pit South 4 Ws.

Land rolling dry T. rate Prairie

East on Random between Sec. 17 & 20

80.00 Intersect N. S. line 4 Ws. S. of post -
 Land same

West Connected between Sec. 17 & 20

40.03 set q. sec. post at aver. dist. made mound
 of sod, pit East 4 Ws.

80.00 to sec. cor.

West on Random between Sec. 18 & 19

69.20 Intersect W. Boundary 8 Ws. S. of post -
 Land same

East Connected between Sec. 18 & 19

29.20 set q. sec. post made mound of sod, pit
 East 4 Ws.

69.20 to sec. cor.

North between Sec. 17 & 18

40.00 set q. sec. post made mound of sod, pit
 East 4 Ws.

80.00 set post cor. of sec. 17, 18, 19 & 18 made mound
 of sod, pit South 4 Ws.

Land same

East on Random between Sec. 8 & 17

66.00 Wagon Road from the Wabash to Chicago
 NW

79.98 Intersect N. S. line 10 Ws. S. of post -

T. 25 N., R. 9 W. 2. Mer. Ind.^a
 84th Sp.

Land same as last noted.

West Corrected between Sec. 8 & 17

39.99 set of sec. post at aver. divt. made mound of sod,
 pit East 4 lks.

79.98 to sec. cor.

West on Random between Sec. 7 & 18

35.20 enter Marsh

38.50 leave "

69.10 Intersect W. Boundary at post -

Land rolling T.st rate, wet in places.

East Corrected between Sec. 7 & 18

29.10 set of sec. post made mound of sod, pit East
 4 lks.

69.10 to sec. cor.

North between Sec. 7 & 8

40.00 set of sec. post made mound of sod, pit
 East 4 lks.

80.00 set post cor. of sec. 5, 6, 7 & 8 made mound of
 sod, pit South 4 lks.

Land gently rolling dry T.st rate

East on Random between Sec. 5 & 8

18.10 Road from Wabash to Chicago N.W.

79.85 Intersect N. & S. line 10 lks. N. of post -
 (Description of land omitted)

West Corrected between Sec. 5 & 8

39.92 set of sec. post at aver. divt. made mound
 of sod, pit East 4 lks.

79.85 to sec. cor.

West on Random between Sec. 6 & 7

T. 25 N., R. 9 W. 2^d. Mer. Ind.^a
Chs. Lks.

69.90 Intersect N. Boundary 6th Ms. N. of post -
Land level, dry, 1st state

East Corrected between Sec. 6 & 7

29.90 Set of sec. post made mound of sod, post
East 4th Ms.

69.90 to sec. cor.

North between Sec. 5 & 6

32.00 Road course NW

(No of. sec. post given)

53.00 a Creek 12th Ms. wide course NW

73.77 Intersect N. Boundary 518th Ms. E. of post -
Set post at intersection cor. of sec. 5 & 6 made
mound of sod.

Land partly rolling dry Prairie, T. state
September 3. 1834

I hereby certify that in pursuance of a
contract with M. T. Williams, Surveyor Genl.
of the United States for the States of Ohio &
Indiana and the Territory of Michigan,
bearing date the 26th day of May 1834 -
and in strict conformity to the Laws of the
United States, and the instructions of said
Surveyor General, I have surveyed and
subdivided into sections fractional Town-
ship N. 25 North in Range N. 9 West
in the State of Indiana. And I further
certify that the foregoing are the true and
original Field Notes of said survey and
subdivision executed as aforesaid.

Certified this 3^d day of Sept. 1834

Perrin Kent

Deputy Surveyor.

T. 25 N., R. 9 W. 2. Mer. Ind.

~~Chas. H.~~

Elijah Barber } Chainmen
 Daniel Yarnes }
 B. Chenowelt, Marker
 E. F. Lucas, Flagman

I certify that the foregoing transcript
 of Field Notes of the survey of Township No.
 25 North, in Range No. 9 West of the 2.
 Principal Meridian, in the State of Indiana,
 has been compared with the original on file
 in this office, and found to be correct.
 Surveyor General's Office,
 Cincinnati, Sept. 18, 1844

William Johnston
 Sur. Genl.